



Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Joe'Mar Hooper, MPA
Health Operations Administrator

www.milwaukee.gov/health

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653 phone (414) 286-3521 fax (414) 286-5990

Routine Food

PRIYA CORPORATION
Andy's on Brown Deer
8200 W Brown Deer Rd
Milwaukee, WI

6/27/2014

The following list of violations of the Wisconsin Administrative Code as adopted by reference in the Milwaukee Code of Ordinances Chapter 68, and/or other City ordinance(s) must be corrected as soon as possible but not later than the date specified. A re-inspection fee may be assessed if the violation is not corrected by that date. An inspection fee may be charged for any repeat violations.

Fee Amount:
\$107.00

CDC Risk Code Factor Violation(s)

Code Number	Description of Violation	Correct By
Cross Contamination		
3-304.11	The clean sanitized drainboard is dirty with chemicals, bottles and dirty cups. The sanitizer sink and drainboard need to remain clean at all times. They are also out of sanitizer. You can use a bottle of bleach you have in the customer area. Food equipment must be clean and sanitized before used with food. REPEAT	7/11/2014
Personal Hygiene		
5-205.11	The warewashing hand sink was blocked by cases of cigarettes. Inspector ran the water and rust came out. Make sure this sink is used when handling food and after handling dirty dishes. It hasn't been used in a long time = rusty water. Handsink was not available for use. Make sure the handsink is always available.	7/11/2014
6-301.11	The warewashing hand sink had an empty soap dispenser. Employee refilled it. Make sure all handsinks are supplied with soap. COS	7/11/2014
6-301.12	The paper towel dispenser at the warewashing sink was empty, as well as the ice bagging hand sink. Employee restocked paper towels including the bathrooms. Provide single service toweling for all handsinks. COS	7/11/2014

CDC Risk Violation(s): 4

Good Retail Practice Violations(s)



Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Joe'Mar Hooper, MPA
Health Operations Administrator

www.milwaukee.gov/health

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653 phone (414) 286-3521 fax (414) 286-5990

Code Number	Description of Violation	Correct By
3-306.11	The sneeze guard doors on the bakery case need to be modified. Currently you can open the doors all the way up and the food is exposed, especially on the lower 2 shelves. Modify the existing sneeze guard to only open part way. Contact equipment specialist Mark Malin at 286-5769 for questions. Provide effective food shields. This item may be transferred to a special for extra time upon request.	7/11/2014
3-602.11	All the bags of ice now need to have the store's name, address and phone number on them. The placard on the door is now not sufficient. Properly label food.	7/11/2014
4-903.11	A box of coffee stir sticks had water stains on it and mold growing. Employee disposed of box. Store all equipment at least 6 inches off the floor to facilitate cleaning and prevent contamination. Store single service items so they don't get contaminated also.	7/11/2014
6-501.114	The basement has a lot of debris in it. Clean the basement out of debris to prevent rodent harborage and maintain clean. REPEAT	7/11/2014

Good Practice Violation(s): 4

Total Violations: 8

Notes:

COS means corrected on site.

Keep gloves at the ice bagging station. Gloves need to be worn when bagging and processing food (ice).

On 6/27/2014, I served these orders upon PRIYA CORPORATION by leaving this report with

Inspector Signature (Inspector ID:84)

Operator Signature